

# Notice of Allowability

Application No.

10/667,548

Examiner

Ramsey Zacharia

Applicant(s)

CHEN ET AL

Art Unit

1773

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to response filed 29 July 2005.
2. ☒ The allowed claim(s) is/are 1-23 and 26-37.
3. ☒ The drawings filed on 22 September 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 082005.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Art Unit: 1773

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Carl F. Ruoff on 01 August 2005.

The application has been amended as follows:

the phrase --; and wherein the thermal conductivity of said base cushion layer is in a range of approximately between 0.2 BTU/hr/ft<sup>2</sup>/°F - 0.7 BTU/hr/ft<sup>2</sup>/°F-- has been added to claim 31 after the term "100°C" on the last line of the claim, and

claims 38-40 have been canceled.

The listing of the claims filed 26 July 2005 inadvertently left off claim 40. It will now read:

Claim 40 (canceled).

2. The following is an examiner's statement of reasons for allowance.

The claims are directed to a fusing-station member comprising a substrate, an addition cured polyorganosiloxane base cushion layer containing microballoons and solid filler particles, and a protective layer as claimed. The base cushion layer has a thermal conductivity in the range of approximately between 0.2 BTU/hr/ft<sup>2</sup>/°F - 0.7 BTU/hr/ft<sup>2</sup>/°F.

Art Unit: 1773

Meguriya is the closest prior art. However, Meguriya teach that the silicone composition has a thermal conductivity of up to  $5 \times 10^{-4}$  cal/cm/s/°C (i.e.  $\sim 0.12$  BTU/hr/ft/°F). Meguriya does not anticipate the claims because the upper limit of  $5 \times 10^{-4}$  cal/cm/s/°C is outside the claimed range of approximately between 0.2 BTU/hr/ft/°F - 0.7 BTU/hr/ft/°F. Furthermore Meguriya does not fairly suggest the invention as claimed because Meguriya teaches away from formulations having a thermal conductivity above  $5 \times 10^{-4}$  cal/cm/s/°C.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


3. The terminal disclaimer filed on 26 July 2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent 6,486,441 or Application Serial No. 10/667,996 has been reviewed and is accepted. The terminal disclaimer has been recorded.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carol Chaney, can be reached at (571) 272-1284. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 1773

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



**Ramsey Zacharia**  
**Primary Examiner**  
**Tech Center 1700**